Alglucosidase alfa-ngpt (Nexviazyme) Provider Order Form rev. 01/02/2024

PATIENT INFOR	MATION	Referral Stat	us: □ New R	eferral Updated C	Order
Patient Name:			DOB:	Patient P	hone:
Patient Address:				Patient Email:	
Allergies:			□ NKDA	Weight (lbs/kg):	Height (in/cm):
	Date of Last Infusion:	Next Due [Preferred Location	
					•
DIAGNOSIS (Ple	ase provide ICD-10 code	e in space provided)			
Late-onset Pompe	disease:				
Other:	Description	n:			
THERAPY ADMINISTRATION ☐ Administer Nexviazyme for pts weighing great than or equal to 30kg: Infuse 20mg/kg = mg IV every 2 weeks. ☐ Administer Nexviazyme for pts weighing less than 30kg: Infuse 40mg/kg = mg IV every 2 weeks DOSING & ADMINISTRATION INFORMATION			PRE-MEDICATION ORDERS ☐ Tylenol ☐ 500mg / ☐ 650mg PO ☐ Solumedrol ☐ 40mg / ☐ 125mg IVP ☐ Loratadine 10mg PO ☐ Pepcid 20mg ☐ PO / ☐ IVP ☐ Benadryl ☐ 25 mg / ☐ 50mg ☐ PO / ☐ IV (required per PI)		
	Total Infusion Volume	Total Infusion Volume	☐ Other:		
Patient Weight	(mL) of D5W for 20	(mL) of D5W for 40	NURSING		
Range (kg)	mg/kg	mg/kg	☑ Hold infus	ion and notify provider	for previous adverse reaction
5 to 9.9kg	N/A	100ml	to enzyme pr		
10 to 19.9kg	N/A	200ml		ırsing care per Nursing F	
20 to 29.9kg	N/A	300ml	* *	vity Reaction Manageme	ent Protocol and post-
30 to 34.9kg 35 to 49.9kg	200ml 250ml	N/A N/A	procedure ob	oservation.	
50 to 59.9kg	300ml	N/A	ADDITION	AL ORDERS	
60 to 99.9kg	500ml	N/A			
100 to 119.9kg	600ml	N/A			
120 to 140kg	700ml	N/A			
PROVIDER INFO	ORMATION.				
Preferred Contact Name:			Pref	erred Contact Email:	
Ordering Provider:			Provider NPI:		
Referring Practice Name:		Phone:	Fax:		
Practice Address:		City:	State:	Zip Code:	
Required Docume		CKLIST (Additional dock copy of front and back o	-		most recent OVN including
Provider Name (print)	Provider Signat	ure		Date